

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) A liquid crystal display device comprising:
a frame having at least one first connecting member made of plastic;
a back light unit disposed on the frame;
a liquid crystal panel disposed on the back light unit;
a first cover having at least one second connecting member, wherein the first cover combines with the frame by the engagement between the first connecting member and the second connecting member; and
a second cover having at least one third connecting member, wherein the second cover combines with the frame by the engagement between the first connecting member and the third connecting member while the frame, the back light unit and the liquid crystal panel are located between the first cover and the second cover.
2. (original) The liquid crystal display device as claimed in claim 1, wherein the first connecting member is provided with a first slot and a second slot, and the second connecting member is a first protrusion corresponding to the first slot, and the third connecting member is a second protrusion corresponding to the second slot, whereby the first cover combines with the frame by the engagement between the first slot and the first protrusion, and the second cover combines with the frame by the

engagement between the second slot and the second protrusion.

3. (original) The liquid crystal display device as claimed in claim 2, wherein the first protrusion, engaging with the first slot, is not in contact with the second protrusion engaging with the second slot.

4. (canceled)

5. (original) The liquid crystal display device as claimed in claim 3, wherein the back light unit comprises:

- a reflector disposed on the frame;
- a light guide disposed on the reflector;
- a first diffuser disposed on the light guide;
- a first prism sheet disposed on the first diffuser;
- a second prism sheet disposed on the first prism sheet; and
- a second diffuser disposed on the second prism sheet.

6. (currently amended) The liquid crystal display device as claimed in claim [[4]] 1, wherein the back light unit comprises:

- a reflector disposed on the frame;
- a light guide disposed on the reflector;
- a first diffuser disposed on the light guide;
- a first prism sheet disposed on the first diffuser;
- a second prism sheet disposed on the first prism sheet; and
- a second diffuser disposed on the second prism sheet.

7. (currently amended) A notebook computer comprising a body and a

liquid crystal display device rotatably disposed on the body, wherein the liquid crystal display device comprises:

- a frame having at least one first connecting member made of plastic;
- a back light unit disposed on the frame;
- a liquid crystal panel disposed on the back light unit;
- a first cover having at least one second connecting member, wherein the first cover combines with the frame by the engagement between the first connecting member and the second connecting member; and
- a second cover having at least one third connecting member, wherein the second cover combines with the frame by the engagement between the first connecting member and the third connecting member while the frame, the back light unit and the liquid crystal panel are located between the first cover and the second cover.

8. (original) The notebook computer as claimed in claim 7, wherein the first connecting member is provided with a first slot and a second slot, and the second connecting member is a first protrusion corresponding to the first slot, and the third connecting member is a second protrusion corresponding to the second slot, whereby the first cover combines with the frame by the engagement between the first slot and the first protrusion, and the second cover combines with the frame by the engagement between the second slot and the second protrusion.

9. (original) The notebook computer as claimed in claim 8, wherein the first protrusion, engaging with the first slot, is not in contact with the second protrusion engaging with the second slot.

10. (canceled)

11. (original) The liquid crystal display device as claimed in claim 9, wherein the back light unit comprises:

- a reflector disposed on the frame;
- a light guide disposed on the reflector;
- a first diffuser disposed on the light guide;
- a first prism sheet disposed on the first diffuser;
- a second prism sheet disposed on the first prism sheet; and
- a second diffuser disposed on the second prism sheet.

12. (currently amended) The notebook computer as claimed in claim [[10]] Z, wherein the back light unit comprises:

- a reflector disposed on the frame;
- a light guide disposed on the reflector;
- a first diffuser disposed on the light guide;
- a first prism sheet disposed on the first diffuser;
- a second prism sheet disposed on the first prism sheet; and
- a second diffuser disposed on the second prism sheet.